

**IEHG**

**RECOMMENDED INLAND ENC  
VALIDATION CHECKS**

**Edition 1.0 October 2011**

**Based on Special Publication S-58 Ed. 4.2 of IHO  
and Ed. 2.1 of the IENC Product Specification  
(Ed. 1.3.1 of the Encoding Guide for Inland ENCs)**

Page intentionally left blank

**IEHG**

**RECOMMENDED INLAND ENC  
VALIDATION CHECKS**

**Edition 1.0, October 2011**

**Based on Special Publication S-58 Ed. 4.2 of IHO  
And Ed. 2.1 of IENC Prod.Spec. (Ed. 1.3.1 of the EG for Inland ENCs)**

Page intentionally left blank

## CONTENTS

1.	INTRODUCTION .....	1
2.	LIST OF INLAND ENC VALIDATION CHECKS .....	2
2.1	Checks relating to S-57 Data Structure .....	2
2.2	Checks relating to Inland ENC Product Specification .....	8
2.3	Checks relating to Inland ECDIS .....	13
2.4	Checks relating to the Encoding Guide for Inland ENC .....	14
2.5	Checks relating to allowable attribute values for particular object classes.....	29

Page intentionally left blank

## 1. INTRODUCTION

This document was previously Appendix B1, Annex C of S-57 Edition 3.1. It specifies the checks that, at a minimum, producers of IENC validation tools should include in their validation software. This software will be used by hydrographic offices to help ensure that their IENC data are compliant with the Inland ECDIS Standard, Section 2 Product Specification for Inland ENCs. The checklist has been compiled for the IHO from lists of checks provided by a number of hydrographic offices and software companies. The document will be maintained by means of new editions.

IENC validation software checks that the data are in conformance with the Inland ECDIS Standard IENC Product Specification. Any violations are categorised as either "errors" or "warnings". "**Errors**" are defined as more serious discrepancies or violations. For example, the data may not conform to one of the mandatory requirements of the IENC Product Specification. "**Warnings**" identify less serious violations or suspicious data. An example would be the apparent location of a building in the sea. The various checks in this document have been categorised with these definitions in mind.

In order to assist software developers, those checks that have been removed from all previous editions of S58 have been retained in Edition 4.2 as struck out text strings.

Note: Within this document the word "overlap" is used. In the context of this document, this means:

- for two objects of type Area, that their geometric primitives have a certain area in common (there is no overlap when they touch at a point or along an edge),
- for an object of type Line and an object of type Area, that the line object has a part of one of its edges lying within the geometric primitive of the area object (there is no overlap when they touch at a point or along an edge).

## LIST OF INLAND ENC VALIDATION CHECKS

### 2.1 Checks relating to S-57 and Inland ENC Data Structure

No	Check	Conformity to:	Cat
	<b>DATA STRUCTURE</b>		
1	Check that no part of an edge is duplicated (i.e. a pair of coordinates identical for two edges).	Part 2 (2.2.1.2)	W
2	Check that all VE edges have a beginning node and an end node.	Part 2 (2.2.1.2)	E
3	Check that the record identifier NAME is unique within the file.	Part 3 (2.2)	E
4	Check that Record Name RCNM contains only the values in table 2.2.	Part 3 (2.2.1)	E
5	Check that the Record Identification Number RCID is in the range 1 to $2^{32}-2$ .	Part 3 (2.2.2)	E
6	<del>Check the CRC of every file</del>	<del>Part 3 (3.4)</del>	<del>E</del>
7	Check that all objects have legal AGEN, FIDN and FIDS subfield values.	Part 3 (4.3.1) and (4.3.2)	E
8	Check that an attribute code does not repeat for a single object.	Part 3 (4.4), (4.5) and (5.1.2)	E
9	For line objects, check that ORNT = 1 [forward] or 2 [reverse], USAG = 255 [null], and MASK = 1 [mask], 2 [show] or 255 [masking is not relevant].	Part 3 (4.7.2) and Appendix B.1 (3.8)	E
10	For point objects, check that ORNT = 255 [direction is not relevant], USAG = 255 [null], and MASK = 255 [masking is not relevant].	Part 3 (4.7.1)	E
11	Check that all segments with USAG = 3 [exterior boundary truncated by the data limit] are linked to an object M_COVR.	Part 3 (4.7.3.3)	E
12	Check that all feature objects except C_(collection) have a FSPT.	Part 3 (4.7)	E
13	Check that for linear features comprising multiple edges, the vector records making up the linear feature are referenced sequentially and that the end node of a vector record is the same as the start node of the following vector record.	Part 3 (4.7.2)	W
14	Check for any area object having outer and inner boundaries that two of these boundaries do not share more than one node.	Part 3 (4.7.3)	E
15	Check that the first and last edges bounding an area meet at a common connected node.	Part 3 (4.7.3.1)	E
16	Check that area outer boundaries are encoded clockwise.	Part 3 (4.7.3.2)	E
17	Check that area inner boundaries are encoded counter clockwise.	Part 3 (4.7.3.2)	E
18	Check that all areas are defined by: <ul style="list-style-type: none"> <li>• Only one outer boundary (referenced first),</li> <li>• Optional zero or more inner boundaries which are closed, sequential and with proper use of USAG.</li> </ul>	Part 3 (4.7.3.2) and (4.7.3.3)	E
19	Check that all spatial edges which coincide with data limit borders (i.e. limits of M_COVR with CATCOV = 1 [coverage available]) are using USAG = 3 [Exterior boundary truncated by the data limit]	Part 3 (4.7.3.3)	W
20	Check that geometry primitive is compatible with object	Product Specification for	E



	class.	Inland ENCs, Part 3 (5.1.1) and Supplement No2 Ch.4 (3.3.1)	
21	Check that all vector record pointer (VRPT) fields are pointed to by an edge vector record.	Part 3 (5.1.3)	E
22	Check for correct sequence of begin/end nodes for edges.	Part 3 (5.1.3.2)	E
23	Check that only SG2D and SG3D coordinates are used in files.	Part 3 (5.1.4)	E
24	Check that soundings are coordinate type SG3D with X, Y and Z values.	Part 3 (5.1.4.1)	E
25	<ul style="list-style-type: none"> <li>Check that the beginning and end of an edge are explicitly encoded as connected nodes.</li> <li>Check that the geometry of the connected node is not part of an edge.</li> <li>Check that edges directly reference their begin/end nodes using the vector record pointer.</li> </ul>	Part 3 (5.1.4.4)	E
26	<p>Check that values in subfields are within the allowable range where applicable:</p> <ul style="list-style-type: none"> <li>Subfield value ranges according to S-57 format description.</li> <li>Legal ranges for attribute values (for attribute values of type "float", the resolution given in the format statement by the integer part (e.g. <b>XX</b>.X) must not be checked).</li> </ul> <p>(see check 91)</p>	Part 3 (7.2.2.1), (7.3) and Inland ENC Feature Catalogue.	E
27	Check all formatted subfields in S-57.	Part 3 (7.2.2.2)	E
28	Check that the count of records in DSSI is correct.	Part 3 (7.3.1.2)	E
29	Check for valid index position for updating in FFPC-NFPT, FSPC-NSPT, SGCC-CCNC, and VRPC-NVPT.	Part 3 (7.6.5) (7.6.7), (7.7.1.5) and (7.7.1.3)	E
30	Check for valid index position for updating in FFPC-FFIX, FSPC-FSIX, SGCC-CCIX, and VRPC-VPIX.	Part 3 (7.7.1.5), (7.6.5), (7.6.7) and (7.7.1.3)	E
31	For all edges, check that all SG2D coordinates are different from the start and end node coordinates.	Part 3 (7.7.1.6)	E
32	Check that record updates refer to a valid record NAME.	Part 3 (8.3.2)	E
33	Check that any attribute update refers to a valid record NAME and attribute label.	Part 3 (8.3.3)	E
34	Check that pointer index updating refers to a valid record NAME and index within pointer fields FFPT, FSPT and VRPT.	Part 3 (8.3.4)	E
35	Check if record version RVER is out of sequence for objects.	Part 3 (8.4.2.1) and (8.4.3.1)	E
36	<p>For record updates for feature/vector updates, check that if it is</p> <ul style="list-style-type: none"> <li>DELETE: the record does not contain further fields, or</li> <li>MODIFY/INSERT: the record contains more information about the update.</li> </ul>	Part 3 (8.4.2.2) and (8.4.3.1)	E
37	Check that update and base data have the same lexical level.	Part 3 (8.4.2.2a)	E
38	Check that an update record only contains one FFPC field [8.4.2.3], and one VRPC field [8.4.3.2b], and one FSPC field [8.4.2.4], and one SGCC field [8.4.3.3].	See references in the column to the left.	E
39	Check for connectivity of line segments in an edge after	Part 3 (8.4.3.3)	E

	updating.		
40	Check that any two feature objects of type Line satisfying all of the following conditions are chained together: <ul style="list-style-type: none"> <li>• both objects are encoded with the same class and attribute values,</li> <li>• both objects refer to linear features for which all referenced edges are encoded with the same spatial attribute values,</li> <li>• linear features of both objects have one (or two) common connected node(s) which is (are) a beginning node or an end node of each linear feature,</li> <li>• each common connected node is not shared by more than two objects satisfying the three above conditions.</li> </ul>	Logical consistency	W
41	Check that all areas are closed.	Logical consistency	E
42	Check that VE edges linked to Group 1 objects appear twice with different ORNT values, or are linked to objects M_COVR with CATCOV = 1 [coverage available].	Logical consistency	E
43			
44	Check that all values (except the shallowest and deepest) DRVAL1 and DRVAL2 of DEPART and depart of type area are also values of VALDCO.	Logical consistency EG 1.3.1 – I11-e, I11-f, I12-g, I12-h	W
45	Check that no edge is shared by two or more line objects of the same object class, except for objects from the following list which may share geometry if they are populated with different attribute values: berths, cblohd, CBLSUB, CONVYR, convyr, FERYRT, feryrt, MORFAC, NAVLNE, PIPSOL, RECTRC.	Logical consistency	W
46	Check for any object having both attributes DATEND and DATSTA encoded with explicit values that DATEND is the same or later than DATSTA.	Logical consistency	E
47	Check for any LIGHTS object having SECTR1 encoded that SECTR2 is also encoded (with a different value) and vice versa.	Logical consistency	E
48	Check for any M_SREL object having SCVAL1 and SCVAL2 encoded that the value of SCVAL1 has been set to a larger scale than SCVAL2 (i.e. attribute value for SCVAL1 is smaller than attribute value for SCVAL2).	Logical consistency	E
49	Check for any object having DRVAL1 and DRVAL2 encoded that DRVAL1 is smaller than or equal to DRVAL2.	Logical consistency	E
50	Check that all the nodes that compose the geometry of any RECTRC with CATTRK=1 [based on a system of fixed marks] or NAVLNE are on a straight line.	Logical consistency	W
51	Check that no edge is shared by a COALNE object and a SLCONS/slcons object of type line or by a COALNE object and a SLCONS/slcons object of the type area covered by a LNDARE and having WATLEV/watlev undefined or encoded with the values (2) [always dry] or (1) [partly submerged at high water]	Logical consistency	W
52			
53	Check that any SLOGRD object is covered by a LNDARE object of type Area. Check that any SLOTOP object is covered by a LNDARE object of type Area or is on its border.	Appendix B1, Annex A (4.7.4, 4.7.5, 4.8.4)	E

54	<p>Check for any CRANES, cranes, BUISGL, LNDMRK or SILTNK object, and for any DAYMAR object which is not a slave in a master/slave relationship or part of an overlay cell:</p> <ul style="list-style-type: none"> <li>• if it is of type Area, that it is covered by a LNDARE, bridge, FLODOC, flodoc, PONTON or ponton object of type Area,</li> <li>• if it is of type Point, that: <ul style="list-style-type: none"> <li>- it is situated within a LNDARE, bridge, FLODOC, flodoc, PONTON or ponton object of type Area, or</li> <li>- it is coincident with one LNDARE, PILPNT, PYLONS, SLCONS, UWTROC or uwtrroc object of type Point, or</li> <li>- it is situated on a COALNE, DAMCON, LNDARE, SLCONS or slcons object of type Line.</li> </ul> </li> </ul>	Logical consistency	W
55	Check that no line or point LNDARE object is situated within a LNDARE object of type Area, except for cases where it is covered by a LAKARE, RIVERS, lokbsn or CANALS object.	Logical consistency	W
56	Check that any BUAARE object is covered by a LNDARE object of type Area or is coincident with a LNDARE of type point.	Logical consistency	W
57	Check for any COALNE object which does not share spatial geometry with a LNDARE or SLCONS object that it is not situated within a LNDARE object of type Area, or that it does not have a LNDARE object of type Area on both sides.	Logical consistency	W

58			
59	Check that no OBSTRN object of type Line bounds an OBSTRN object of type Area.	Logical consistency	W
60	Check that no CBLSUB object is situated within a LNDARE object of type Area.	Logical consistency	W
61	<p>Check for any object with WATLEV = 3 [always under water/submerged]:</p> <ul style="list-style-type: none"> <li>• if it is of type Line or Area, that: <ul style="list-style-type: none"> <li>- it is not within or overlaps an intertidal area (DEPARE with DRVAL2 <math>\leq</math> 0), or</li> <li>- it is not within or overlaps a LNDARE object of type Area,</li> </ul> </li> <li>• if it is of type Point, that: <ul style="list-style-type: none"> <li>- it is not within an intertidal area, or</li> <li>- it is not within a LNDARE object of type Area, or</li> <li>- it is not coincident with a LNDARE object of type point, or</li> <li>- it is not situated on a LNDARE object of type line.</li> </ul> </li> </ul>	Logical consistency	W
62	Check for all PONTON, ponton, HULKES, hulkes, flodoc or FLODOC objects of type Area that no edge of their limits shares the geometry of a line COALNE, slcons or SLCONS object, except when this edge also shares the geometry of a LNDARE object of type Area.	Logical consistency	W
63	Check that no RECTRC object overlaps or intersects a linear or area object LNDARE, PONTON, ponton, HULKES, hulkes, FLODOC, flodoc or other objects having WATLEV/watlev = 1 [partly submerged at high	Logical consistency	E

	water] or 2 [always dry].		
64	Check that no point or area achare object is situated within or overlaps another object with attribute RESTRN or restrn containing value 1 [anchoring prohibited].	Logical consistency	W
65	Check that LIGHTS objects in the same spatial position whose sectors overlap each other have at least one of the values encoded differently for these attributes: CATLIT, EXCLIT, LITCHR, SIGPER or SIGGRP. Remark: This check must not be applied to LIGHTS objects with STATUS 4 [not in use]	Logical consistency	W
66	<del>Check for any SOUNDG having the value (1) or nothing for EXPSOU that any depth value is situated within a DEPARE or a DRGARE of the corresponding range. See new checks 1768 and 1769</del>	Logical consistency	<del>W</del>
67	Check that no object is duplicated (same class, same attribute description and same geometry).	Data structure	W
68	Check if there is an update to an object without the corresponding text/graphic file.		W
69	<del>Check that the Agency Code of feature objects is valid.</del>	Appendix A, Annex A	<del>W</del>
70			
71	Check that no object of type Area (except for objects where all of the edges have USAG = 3) has all of its edges masked (i.e. USAG = 3 [exterior boundary truncated by the data limit] or MASK = 1 [mask]). Check that no object of type Line has any of it's edges masked (i.e. MASK = 1 [mask]).	Logical consistency	W
72	Check that no loop exists in the graph of hierarchical relationships (e.g. no master object is slave of its own slave, ...).	Logical consistency	W
73	Check that no attribute value contains a leading or a trailing space and no attribute of type List contains any space.	Logical consistency	W
74	Check for any floating DEPCNT object (i.e. which does not share any edge with a Group 1 object) which is within an area DEPARE object, that DRVAL2 > VALDCO > DRVAL1 Remark: This check must only be applied if both DRVAL1 and DRVAL2 for the DEPARE object are encoded with explicit and different attribute values.	Logical consistency	E
75	Check for any floating DEPCNT object (i.e. which does not share any edge with a Group 1 object) which is within an area DRGARE object, that VALDCO > DRVAL1. Remark: This check must only be applied if DRVAL1 for the DRGARE object is encoded with an explicit value.	Logical consistency	W
76	Check that no DEPCNT object is within a FLODOC, HULKES, LNDARE or PONTON object of type Area.	Logical consistency	E
77	Check that no DEPCNT object crosses another DEPCNT object.	Logical consistency	E
78	Check for any area object that no boundary crosses itself.	Topology	E
79	Check for any line object that no component edges of a line object cross without a connected node at the crossing point.	Topology	W

80	Check that no area object has incorrect boundary nesting. i.e. at least one of the following cases detected: <ul style="list-style-type: none"> <li>• An internal boundary is completely within an internal boundary;</li> <li>• An internal boundary is completely outside an external boundary;</li> <li>• An external boundary is completely within an internal boundary.</li> </ul>	Topology	E
81	Check that no spot sounding coincides with another spot sounding (of the same or different depth).	Topology	E
82	Check that no linear or area object is using the same edge more than once.	Topology	E
83	Check that no node coincides with another node (connected or isolated).	Topology	W
84	Check that no physically isolated node is marked as connected (and vice versa).	Part 3 (2.2.1)	E
85	Check that all AGEN subfield values (in DSID and FOID fields) in an update (ER) file are identical to the AGEN subfield values in the DSID base (EN) file.	Part 3 (4.3.1) and (7.3.1.1)	E
86	Check that any feature record of type Point (including sounding feature record) only references one vector record.	Part 3 ( 4.7.1 )	W
87	Check for edges with degenerated geometry (when consecutive vertices coincide).	Part 3 (4.7.2)	E
88	For area features, check that ORNT = 1 [forward] or 2 [reverse], USAG = 1 [exterior], 2 [interior] or 3 [exterior boundary truncated by the data limit] and MASK = 1 [mask], 2 [show] or 255 [masking is not relevant].	Part 3 (4.7.3)	E
89	Check that no master object references the same object as slave more than once and that no slave object is referenced by more than one master object.	Part 3 (6.3)	E
90	Check the conformity of the DDR (Data Descriptive Record). (In a catalogue file, it <u>only</u> contains the description of the catalogue file structure. In an EN file, it <u>only</u> contains the description of the base cell file structure. In an ER file, it <u>only</u> contains the description of the update cell file structure).	Part 3 ( 7 ) and Part 3 (A.2)	W
91	Check for all attribute values of type "float", that the number of digits in the integer part is smaller than or equal to the number of digits given in the format statement (e.g. <b>XX.X</b> ).	Part 3 (7.2.2.1), (7.3) and Appendix A, Chapter 2.	W
92	Check for any update (ER) file having RUIN = 3 [modify] in the FRID field, that the FOID field for the modified object is identical in the base (EN) and update (ER) files.	Part 3 (8.4.2)	E
93	Check for any object with WATLEV = 4 [covers and uncovers] or 5 [awash]: <ul style="list-style-type: none"> <li>• if it is of type Line or Area, that: <ul style="list-style-type: none"> <li>- it is not within or overlaps a LNDARE object of type Area,</li> </ul> </li> <li>• if it is of type Point, that: <ul style="list-style-type: none"> <li>- it is not within a LNDARE object of type Area, or</li> <li>- it is not coincident with a LNDARE object of type point, or</li> <li>- it is not situated on a LNDARE object of type line.</li> </ul> </li> </ul>	Logical consistency	W
94	Check that no ER file contains instructions for the FSPC field to modify a FSPT field of a	Logical consistency	E

	feature object to a value that it already contains.		
i1	Check that only LNDMRK objects having CATLMK = 18 [windmill] or 19 [windmotor], have been encoded with CONDTN = 4 [wingless].	Logical consistency	W

## 2.2 Checks relating to the Inland ENC Product Specification edition 2.1

<b>Inland ENC PRODUCT SPECIFICATION</b>			
500	Check that all data are within the cell limits.	2.2	E
501			
502	Check that the dataset file contains no more than 5 megabytes of data.	2.2	W
503	Check that all objects in a cell have a unique FOID.	3.1	<del>E</del> -W
504	Check for all prohibited object classes for Inland ENC.	3.2	E
505	Check for mandatory meta object classes.	3.4 and Inland ENC Encoding Guide	E
506	Check that mandatory subfields in EN and ER files contain a value (which may be a missing attribute value in the ATVL subfield of the ATTF field).	3.5.1 and Part 3 (2.1)	E
507	Check for all mandatory attributes.	3.5.2 and Inland ENC Encoding Guide and Inland ENC Feature Catalogue	E
508	Check that COLPAT is encoded for every object (except LIGHTS) with more than one COLOUR. Check that no object with a value for COLPAT has only one COLOUR.	3.5.2 Logical consistency	E
509	Check for all the following cases that the mandatory attribute has a value: CTNARE: INFORM DEPARE: DRVAL1 and DRVAL2 depare: DRVAL1 and DRVAL2 DEPCNT: VALDCO m_sdat: verdat m_vdat: verdat m_nsys: marsys  Remark: For these objects, the above mandatory attributes are meaningless without values.	3.5.2 and Inland ENC Encoding Guide and Inland ENC Feature Catalogue	W
510			
511	Check that all S-57 attributes, that are not mentioned in the Inland ENC Feature Catalogue, are not used"	IENC Feature Catalogue	E
512	Check for numeric attribute values (i.e. of type float ('F') or integer('I')) padded with non-significant zeroes.	3.5.4	E
513	Check that an attribute on an individual Geo object does not have the same value as the general value defined by the meta object.	3.5.6	E
514	<del>Check that no use of cartographic objects has been made.</del>	<del>3.6</del>	<del>E</del>
515	Check that all edges with USAG = 3 [exterior boundary, truncated by the data limit] have MASK = 255 [null].	3.8	E

516	<p>Check that all master/slave relations are valid.</p> <ul style="list-style-type: none"> <li>• If the master object is of type point, check that the slave object is sharing the same node as the master object.</li> <li>• If the master object is of type line, check that the slave object is situated on the line covered by the master object.</li> <li>• If the master object is of type area, check that the slave object is situated within or on the boundary of the area covered by the master object.</li> </ul> <p>NOTE: bridge, CRANES, cranes, FLODOC, flodoc, HULKES, hulkes, PONTON, ponton, OBSTRN, PYLONS, SILTNK and WRECKS objects must be considered as possible structure objects.</p>	3.9 and Inland ENC Encoding Guide	W
517	<p>For a collection feature record:</p> <ul style="list-style-type: none"> <li>• Check that it references at least two other feature objects.</li> <li>• Check that it does not reference itself.</li> <li>• Check that PRIM = 255 [no geometry].</li> <li>• Check that there is only one master relationship per collection feature – all others must be slaves.</li> <li>• Check that if a relationship is peer, then all other features in the collection are peer.</li> </ul>	3.9 and Inland ENC Encoding Guide	E
518	<p>Check that all feature objects belong to the correct group:</p> <ul style="list-style-type: none"> <li>• Check for all Group 1 objects having a Geometric Primitive of type Area, that the GROUP subfield [GRUP] of the Feature Record Identifier [FRID] is set to (1) [Group 1].</li> <li>• Check for all others feature objects that the GROUP subfield [GRUP] of the Feature Record Identifier [FRID] is set to (2) [Group 2].</li> </ul>	3.10 IENC Product Specification 3.10.1	E
519	<p>Check Group 1 coverage and consistency in cells of usage 1 to 9.</p>	3.10.1 and Inland ENC Encoding Guide	E
520	<p>Check that the use of international character sets complies with ENC Prod Spec:</p> <ul style="list-style-type: none"> <li>• Check that the general text in the ATTF field is lexical level (0) [NB see right for explanation], with appropriate encoding of DSSI-ATTF.</li> <li>• Check that the general text in the NATF field is lexical levels (0), (1) or (2) with appropriate encoding of DSSI-NATF.</li> <li>• If attributes NINFOM and NPLDST contain data, check that corresponding INFORM and PILDST contain data: or report an error if they do not contain data.</li> <li>• Report an error if lexical level (2) is used anywhere else than in the NATF field. The report should contain a statement if international character sets are used and the invoking sequence, so that a check can be made on the language used.</li> <li>• Check the consistency between the use of international characters and the encoding of DSSI-AALL/NALL.</li> <li>• Check that the UT and FT are encoded at the lexical level specified and used for that field.</li> </ul>	3.11 and 3.5.5 Inland ENC Encoding Guide	E



	<ul style="list-style-type: none"> <li>• Check that all national language attributes are encoded in the Feature Record National Attribute (NATF) field.</li> <li>• Check that all feature object attributes (non national) are encoded in the Feature Record Attribute (ATTF) field.</li> </ul>		
521	Check that OBJNAM and NOBJNM values, or INFORM and NINFOM values, are different for any particular object.	3.11.1	W
522	Check that if NOBJNM is encoded, then OBJNAM has also been encoded.	3.11.1 Inland ENC Encoding Guide	W
523	Check that HDAT = 2 [WGS 84].	4.1	E
524	Check that DUN I = 1 [metres] or 3 [feet].	4.4 Inland ENC Product Specification 4.4	E
525	Check that PUN I = 1 [metres] or 4 [feet].	4.4 Inland ENC Product Specification 4.4	E
526	Check that COUN = 1 [latitude/longitude].	4.4	E
527	Check that all files referenced by TXTDSC, NTXTDS and PICREP attributes exist.	5.4.1 and 5.6.4	E
528	Check for existence of a catalogue file.	5.4.1	E
529	Check that volume names are in accordance with the Inland ENC Product Specification.	5.4.2	E
530	Check that the directory structure for physical media is in accordance with the Inland ENC Product Specification. <ul style="list-style-type: none"> <li>• An ENC_ROOT directory must exist in the first volume.</li> </ul>	5.4.3	E
531	Check that file names are in accordance with the Inland ENC Product Specification.	5.6.1, 5.6.2 and 5.6.3	E
532	Check that text and graphic file names are unique, with extension (e.g. .TXT, .HTM, .XML, .JPG and .TIF) for new editions and re-issues.	5.6.4	W
533	Check that the DSID-UADT subfield is not used in an ER file.	5.7	E
534	Check that a delete cell message only contains the DSID field with EDTN = 0.	5.7	E
535	Check that the CRC value computed on the received file is the same as the CRC value transmitted.	5.9.1	E
536	Check that only fields that have a repetition factor repeat.	6.1.3	E
537	Check that the format of the catalogue file is correct.	6.2	E
538	Check that CADT-IMPL = "BIN".	6.2.2	E
539	Check that DSID-PROF subfield value is either 1 [EN] or 2 [ER].	6.3 and 6.4	E
540	Check that mandatory records, fields and subfields for EN and ER files are included and contain data and that prohibited records, fields and subfields are not used.	6.3 and 6.4	E
541	Check that the SIGGRP format is correct for all LIGHTS, except for fixed LIGHTS, which must not have a value for SIGGRP.	Inland ENC Encoding Guide	E
542	Check that any attribute value SIGGRP starts and finishes with a bracket.	Inland ENC Encoding Guide	E
543			
544	Check that any area covered by a M_COVR object with CATCOV = 2 [no coverage available] does not contain any other object.	2.2 and Inland ENC Encoding Guide	E

545	Check that each object has a valid object class code as defined by the Inland ENC Feature Catalogue	3.2 and Inland ENC Feature Catalogue	E
546	Check that each attribute has a valid attribute class code as defined by the Inland ENC Feature Catalogue.	3.2 and Inland ENC Feature Catalogue	E
547	Check that no object contains attributes outside the list of permissible attributes for the object's class (as defined in the Inland ENC Feature Catalogue) for the specified object.	3.2 and Inland ENC Feature Catalogue	E
548	Check that M_COVR meta objects provide exhaustive non-overlapping coverage of the whole cell.	3.4 and Inland ENC Encoding Guide	E
549	Check that all DEPARE, depare and DRGARE objects are covered by M_QUAL objects without gaps or overlaps. (This check may only be used outside of Europe)	3.4 and Inland ENC Encoding Guide	E
550			

551	Check that text attribute values do not use format effecting (C0) characters (C0 as defined in S-57 Part 3, Annex B). Check that the delete character is only used in the update mechanism (i.e. in records with RUIN = 3 [modify]).	3.5.5	E
552	<del>Check for any object that has been encoded with one of the new attribute values introduced in S-57 Edition 3.1 that INFORM contains a description of the enumerate value.</del>	<del>3.5.7</del>	<del>E</del>
553	Check that no Group 1 object contains the attributes DATSTA , DATEND, PERSTA or PEREND	3.10.1 and logical consistency	E
554	Check for any edge used by only one M_COVR object with CATCOV = 1 [coverage available], that it is also shared with one, and only one, Group 1 object.	3.10.1	E
555	Check that the order of data in each base or update file is correct.	6.1.1	E
556	Check for the limits of data set files given in the Catalogue Directory field (CATD) of the catalogue file (subfields SLAT, WLON, NLAT, ELON): 1. That the limits for base cell files are identical to the furthest coordinates of M_COVR geometry found in the corresponding base cell files. 2. That the limits for update cell files are identical to the limits of the base cell file to which they apply.	5.6.3, 6.2.2 and logical consistency	E
557	Check that any SIGSEQ attribute value conforms to the correct structure (i.e. string content in accordance with format specification).	Inland ENC Encoding Guide	E
558	Check for any object having SIGSEQ encoded that the value of SIGPER is equal to the sum of intervals of light and intervals of eclipse described by SIGSEQ.	Inland ENC Encoding Guide and logical consistency	E
559	Check that no STATUS attribute value contains an impossible combination: <ul style="list-style-type: none"> <li>• 3 [recommended] with 4 [not in use];</li> <li>• 4 [not in use] with 9 [mandatory];</li> <li>• 16 [watched] with 17 [un-watched];</li> <li>• 8 [private] with 14 [public].</li> </ul>	Inland ENC Encoding Guide and logical consistency	W
560	Check that all feature objects in a data set having the same FOID have the same description (same object class and attribute values) and are of type Line or Area.	3.1	E

561	Check that all feature objects in a data set having the same FOID are not part of a collection object or a master/slave relationship.	3.1	E
562			
563	Check for any RESARE object that has been encoded with values (27) [Environmentally Sensitive Sea Area (ESSA)] and/or (28) [Particularly Sensitive Sea Area (PSSA)] for CATREA, that at least one of the attributes INFORM or TXTDSC contains the meaning of the value. The text must commence with the meaning of the value (i.e. Environmentally Sensitive Sea Area (ESSA) or Particularly Sensitive Sea Area (PSSA)).	Supplement No1 Ch.4 (3.5.7.1)	E
564	Check for any base (EN) or update (ER) file containing at least one object of the following list: ARCSLN, ASLXIS, NEWOBJ, or RESARE having CATREA = 27 [Environmentally Sensitive Sea Area (ESSA)] or 28 [Particularly Sensitive Sea Area (PSSA)]; <ul style="list-style-type: none"> <li>● that it contains the following subfield values in the DSID field: <ul style="list-style-type: none"> <li>– (03.1) for the STED subfield,</li> <li>– (2.0) for the PRED subfield,</li> </ul> </li> <li>● that it has the text “STED:3.1.1;” included in the COMT subfield of the DSID field.</li> </ul>	Supplement No1 Ch.4 (6.3.2.1 and 6.4.2.1)	E
565	Check for any update (ER) file applying to a base (EN) file which has the text “STED:3.1.1;” included in the COMT subfield of the DSID field, <ul style="list-style-type: none"> <li>● that it contains the following subfield values in the DSID field: <ul style="list-style-type: none"> <li>– (03.1) for the STED subfield,</li> <li>– (2.0) for the PRED subfield,</li> </ul> </li> <li>● that it has the text “STED:3.1.1;” included in the COMT subfield of the DSID field.</li> </ul>	Supplement No1 Ch.4 (6.4.2.1)	E
566			

### 2.3 Checks relating to Inland ECDIS

<b><i>Inland ECDIS</i></b>			
1000	Check that the file extension is sequential until a new edition of the base set is issued.	Inland ENC Product Specification	E
1001	Check if DSID-UPDN is out of sequence.	Inland ENC Product Specification	E
1002	Check for proper usage of file extension, EDTN, UPDN, UADT and ISDT for re-issues of an ENC.	Inland ENC Product Specification	E
1003	Check that EDTN starts one higher than the previous edition number.	Inland ENC Product Specification	E
1004	Check that the file names of a base set and the re-issue are identical.	Inland ENC Product Specification	E
	<i>See check 1797</i>		
i1001	Check that all external files in an exchange set are referenced by a dataset in the same exchange set.	Inland ENC Product Specification	W

## 2.4 Checks relating to the Inland ENC Encoding Guide

Inland ENC Encoding Guide		Appendix B.1- Annex A	
1500	Check that certain area objects do not overlap for logical reasons: <ul style="list-style-type: none"> <li>LNDARE and SBDARE.</li> <li>LNDARE and CBLARE, achare, achbrt, FAIRWY, TWRTPT, lokbsn, lkbspt.</li> </ul>	Logical consistency, IENC EG  4.8.14	W
<del>1501</del>	<del>Check that no M_HDAT objects exist.</del>	<del>2.1.4</del>	<del>E</del>
1502			
1503	Check that no object has an attribute value for verdat without a value for at least one of ELEVAT, HEIGHT, VERCCL, VERCLRorVERCOP. Exceptions are m_vdat and m_sdat objects (subject to their own QA tests).	IENC EG C.1.4/C.1.5	W
1504	Check that the value in the Vertical Datum subfield (VDAT) of the Data Set Parameter field (DSPM) is not null.	Logical consistency	E
1505	Check that there are no m_vdat objects which have an attribute value for verdat equal to that given in the Vertical Datum subfield (VDAT) of the Data Set Parameter field (DSPM).	IENC EG C.1.5	E
1506	Check that all Geo objects which have attribute values relative to a Height Datum and which cross a m_vdat object boundary are split at that boundary.	IENC EG C.1.5	E
1507	Check that no m_vdat objects overlap one another.	IENC EG C.1.5	E
1508	Check that no m_sdat objects overlap one another.	IENC EG C.1.4	E
<del>1509</del>	<del>Check that no VERDAT attribute exists for the objects DEPCNT, DRGARE, OBSTRN, SOUNDG, UWTROC, or WRECKS.</del>	<del>2.1.3</del>	<del>E</del>
1510	Check that the value in the Sounding Datum subfield (SDAT) of the Data Set Parameter field (DSPM) is not null.	Logical consistency	E
1511	Check that there are no m_sdat objects, that have an attribute value for verdat equal to that given in the Sounding Datum subfield (SDAT) of the Data Set Parameter field (DSPM).	IENC EG C.1.4	E
1512	Check that all SOUNDG objects and all those objects that have at least one of VALSOU, VALDCO, WATLEV, watlev, DRVAL1 or DRVAL2 encoded with an explicit value and which cross a m_sdat object boundary are split at that boundary.	IENC EG C 1.4 / I 1.8	E
1513			
<del>1514</del>	<del>Check that no M_UNIT objects exist</del>	<del>2.1.4</del>	<del>E</del>
1515	Check that if an object contains a value for the attributes DATEND, DATSTA, PEREND, PERSTA, SORDAT, SUREND or SURSTA, that this value conforms to ISO 8601:1988.	IENC EG B.J	E
1516	Check that any Group 2 seasonal/periodic object (if the object class is concerned at once by the attributes STATUS, PERSTA and PEREND) with the attribute STATUS containing the value (5) [periodic/intermittent] also has the start and end of the active period encoded in PERSTA and PEREND, and vice versa.	IENC EG B.J	W

1517			
1518	Check that the value of the Producing agency subfield (AGEN) of the Data Set Identification field (DSID) is correct, and that it is the same as the first two characters of the data set file name.	IENC PS 6.3.2.1	E
<del>1519</del>	<del>Check that no M_PROD objects exist.</del>	<del>2.2.4</del>	<del>E</del>
1520	Check that the value of the Edition Number (EDTN) subfield of the Data Set Identification field (DSID) is correct.	IENC PS 5.7	E
1521	Check that the value of the Update Number (UPDN) subfield of the Data Set Identification field (DSID) is correct, and that it is equivalent to the extension of the data set file name, except in the case of a re-issue; in which case, it should be equal to the last update number.	IENC PS 5.7	E
1522	Check that the value of the Update application date (UADT) subfield of the Data Set Identification field (DSID) is correct for data sets with a file name extension of ".000", or that it is null in all other cases.	IENC PS 5.7	E
1523	Check that the value of the Issue date (ISDT) subfield of the Data Set Identification field (DSID) is correct, and that for data sets with a file name extension of ".000" it is greater than or equal to the value of the Update application date (UADT) subfield.	PS 5.7	E
1524			
1525			
1526			
<del>1527</del>	<del>Check that any DRVAL2 attribute value for M_QUAL objects is greater than or equal to the maximum depth to which the CATZOC category for that M_QUAL object indicates.</del>	<del>2.2.3.1</del>	<del>E</del>
<del>1528</del>	<del>Check that if there is an attribute value for TECSOU for a given M_QUAL object, that only one sounding technique has been used within that M_QUAL object coverage.</del>	<del>2.2.3.1</del>	<del>E</del>
1529	Check that no object falling within a given M_QUAL object coverage has an attribute value for TECSOU that is equivalent to an attribute value for TECSOU on the M_QUAL object.	IENC EG C.1.2/ C.1.6/ C.1.7 IENC PS 3.5.6	E For US/ RU
1530	Check that no object falling within a given M_QUAL object coverage has an attribute value for SOUACC that is equivalent to the SOUACC or CATZOC attributes for the M_QUAL object.	IENC EG C.1.2/ C.1.6/ C.1.7 IENC PS 3.5.6	E For US/ RU
1531	Check that no M_QUAL object has attribute values for POSACC, SOUACC, QUASOU or TECSOU which are equivalent to or degrade the accuracy indicated by the attribute value of CATZOC.	IENC EG C.1.2/ C.1.6/ C.1.7 IENC PS 3.5.6	E For US/ RU
1532	Check that if there is an attribute value for SURSTA for a given M_QUAL object that it relates to the oldest survey of two or more surveys for that M_QUAL object	IENC EG C.1.2	E For US/ RU

	coverage.		
1533			
1534			
1535			
1536			
1537			
1538			

1539			
1540	Check that <del>SORIND</del> has not been used for encoding the <del>SURATH</del> .	2.2.3.2 and 2.2.5.4	E
1541			
1542			
1543	Check that no object falling within a given M_ACCY object coverage has an attribute value for QUAPOS that is equivalent to the QUAPOS attribute for the M_ACCY object.	2.2.4.1	E
1544			
1545			
1546			
1547	Check that any bathymetric or hydrographic object that is of Point geometric type with an attribute value for <del>SORIND</del> has a corresponding attribute value for <del>SORDAT</del> , and that the values are different to those given by <del>SORIND</del> and <del>SORDAT</del> of the overlying M_SREL.	2.2.5.1	W
1548	Check that any non-bathymetric object, which has an attribute value for <del>SORIND</del> has a corresponding attribute value for <del>SORDAT</del> .	IENC EG B.B / C.1.7 IENC PS 3.5.6	W For EU/US
1549	Check that the value in the Compilation Scale of data subfield (CSCL) of the Data Set Parameter field (DSPM) is not null.	IENC PS 6.3.2.3	E
1550			
1551			
1552	Check that no object contains the attribute <del>SCAMAX</del> .	2.2.7	E
1553	Check that any value of SCAMIN is set to a scale value smaller than or equal to the compilation scale of the data for the area.	Logical consistency	E
1554	Check that no Group 1 objects and no meta objects have been encoded with the attribute SCAMIN.	IENC EG C.1, D.1.3, D.1.4, G.3.7, G.3.11, G.3.14, I.1.3, I.1.5, I.1.6, I.1.7, I.1.9	E
1555	Check that no attribute value for <del>INFORM</del> and <del>NINFOM</del> contains formatting characters (C0 as defined in S-57 Part 3, Annex B). (see check 551)	2.3	E
1556	Check that any text files forming part of the dataset are Hypertext Metafiles (HTM), text (TXT), or Standardized External XML files (XML).	IENC EG B, B	E
1557			
1558			
1559			
1560			

1561			
1562			

1563	Check that any RIVERS, CANALS or LAKARE objects are covered by a LNDARE object of type Area.	IENC EG D.1.1/ D.1.2/ D.1.5	E
1564			
1565	Check for all LNDARE objects of type Area that any edge of the limits shares the geometry of at least one object of the following list: <ul style="list-style-type: none"> <li>linear objects: COALNE, SLCONS, slcons, GATCON, gatcon, DAMCON.</li> <li>area objects: M_COVR, GATCON, gatcon, DAMCON, RIVERS, TUNNEL, DRYDOC, CANALS, LAKARE, lokbsn, DOCARE, LNDARE.</li> <li>area objects with WATLEV = 1 [partly submerged at high water] or 2 [always dry] SLCONS, slcons, MORFAC, WRECKS, OBSTRN, PYLONS.</li> <li>area objects with watlev = 1 [partly submerged at high water] or 2 [always dry] or 8 [above mean water level]: slcons, uwtrroc</li> </ul>	Logical consistency, IENC EG	W
1566	Check that no edge of a COALNE or linear, SLCONS or slcons object bounds an area RIVERS, CANALS, LAKARE, DOCARE, DRYDOC lokbsn, hulkes, ponton or flodoc object, except when this edge is also shared by a boundary of a DEPARE, depare, DRGARE, PONTON, FLODOC or HULKES object	Logical consistency, IENC EG	W
1567			
1568	Check that any SLCONS and slcons objects of type Area are covered by a LNDARE, DEPARE or depare object of type Area.	IENC EG G.2	E
1569	Check that any SLCONS objects of type Area with WATLEV = 3 [always under water/submerged], 4 [covers and uncovers] or 5 [awash] are covered by DEPARE and/or depare objects of type Area.	IENC EG G.2	E
i1501	Check that any slcons objects of type Area with watlev = 3 [always under water/submerged], 4 [covers and uncovers] or 9 [below mean water level] are covered by DEPARE, and/or depare objects of type Area.	IENC EG G.2	E
1570			
1571			
1572			
1573	Check that any DRYDOC object is covered by a LNDARE object of type Area.	IENC EG G.3.6	E
1574	Check that no DRYDOC object is bounded (except for the gate) by a separate object SLCONS or COALNE.	4.6.6.1	E
1575			
i1502	Check that there are no flodoc objects, that have an attribute value for verdat equal to that given in the Vertical Datum subfield (VDAT) of the Data Set Parameter field (DSPM) or in the verdat attribute of the Meta object m_vdat.	EG G.3.7	E
1576	Check that no DOCARE object is bounded (except for the gate) by a separate object SLCONS or COALNE.	4.6.6.3	E
1577			
1578			
1579	Check that no GATCON object has an attribute value for VERACC without an attribute value for VERCLR.	4.6.6.4	E



1580	Check that any area GATCON object is covered by a DEPARE or a depare object of type Area.	IENC EG G.4.5	E
i1503	Check that any area gatcon object is covered by a DEPARE or a depare object of type Area.	IENC EG G.4.5	W For EU
i1504	Check that there are no gatcon objects, that have an attribute value for verdat equal to that given in the Vertical Datum subfield (VDAT) of the Data Set Parameter field (DSPM) or in the verdat attribute of the Meta object m_vdat.	EG G.4.5	E For EU
1581			
i1505	Check that any area lokbsn object is covered by a DEPARE or a depare object of type Area.	EG G.4.3	E
i1506	Check that all objects which belong to one lock (lokbsn or lkbspt) must be combined to one aggregation area (C_AGGR.)	EG G.4.3/ G.4.4	E
i1507	Check that all lokbsn objects have a value for the attributes horccl and horclw.	EG G.4.3	E
1582			
1583			
1584	Check that any area MORFAC object with a WATLEV attribute value of 2 [always dry] is covered by a LNDARE object of type Area.	IENC EG G.3.12	E
i1508	Check that any MORFAC object shares only one SEAARE object.	IENC EG G.3.13	E
1585			
1586			
i1509	Check that any ponton object of type Area is covered by a DEPARE or depare object of type Area.	IENC EG G.3.11	E
1587			
i1510	Check that any hulkes object of type Area is covered by a DEPARE or depare object of type Area.	IENC EG G.3.14	E
<del>1588</del>	<del>Check that no object CRANES has an attribute value for VERACC without an attribute value for VERCLR.</del>	<del>4.6.9.3</del>	<del>E</del>
1589			
1590	Check that any LNDRGN object is covered (partially or entirely) by a LNDARE object of type Area (or contains a point or a line LNDARE).	IENC EG B.E/ D.2.2	W
1591			
1592			
1593			
1594			
1595	Check that no SLOTOP object with a value of (6) [cliff] for the attribute CATSLO shares the same geo-spatial position and geometry as a COALNE object.	logical consistency	W
<del>1596</del>	<del>Check that no SLOGRD object with a value of (6) for the attribute CATSLO shares the same geo-spatial position and geometry as a COALNE object.</del>	<del>4.7.5</del>	<del>W</del>
1597	Check that no RIVERS object shares the same geo-spatial position and geometry as a SEAARE object.	IENC EG D.1.1/ D.1.2	E
1598			
1599			
1600			
1601			
1602	Check that no LAKARE object shares the same geo-spatial position and geometry as a SEAARE object.	IENC EG D.1.5	E
<del>1603</del>	<del>Check that no LAKSHR objects exist.</del>	<del>4.7.8</del>	<del>E</del>
1604			

1605			
1606			
1607			
1608			
1609	Check that no CANALS object shares the same geo-spatial position and geometry as a SEAARE object.	IENC EG D.1.1, D.1.3	E
1610			
1611			
1612	Check that any TUNNEL object is covered by LNDARE, DEPARE, depare or DRGARE objects.	IENC EG G.1.7	W
1613			
1614	Check that no TUNNEL object has any other non-hydrographic object (RAILWY, ROADWY etc) encoded within it.	IENC EG G 1.7	E
1615	<del>Check that no object TUNNEL has an attribute value for VERACC without an attribute value for VERCLR.</del>	4.8.3	<del>E</del>
1616			
1617	Check that any DAMCON object of type Area is covered by a LNDARE object of type Area.	IENC EG G.4.2	E
1618			
1619	Check that any DYKCON object of type Area is covered by a LNDARE object of type Area.	IENC EG G.2.1	E
1620	Check for any edge of a DYKCON object which is shared by both a LNDARE object of type area and a DEPARE, depare, or DRGARE object of type area, that it is also shared by a linear SLCONS or slcons object without a value for CATSLC or catslc.	IENC EG G.2.1	E
1624	<del>Check that no ROADWY object has a value of (7) for the attribute CATROD.</del>	4.8.8	<del>W</del>
1622	<del>Check that no object BRIDGE has an attribute value for VERACC without an attribute value for at least one of VERCLR, VERCCL or VERCOP.</del>	4.8.10	<del>E</del>
1623	Check that if an object bridge overlaps navigable water, its supports are encoded as PYLONS with a value of (4) [bridge pylon/tower] or (5) [bridge pier] for the attribute CATPYL.	IENC EG G.1.10	E
i1511	Check that all objects of a bridge (pylons, lights, sistat ..) which belong to one bridge must be combined to one aggregation area (C_AGGR.)	IENC EG G.1/ R.2.1	E
i1512	Check that there are no bridge objects, that have an attribute value for verdat equal to that given in the Vertical Datum subfield (VDAT) of the Data Set Parameter field (DSPM) or in the verdat attribute of the Meta object m_vdat.	IENC EG G.1	E
1624	<del>Check that no object CONVYR has an attribute value for VERACC without an attribute value for VERCLR.</del>	4.8.11	<del>E</del>
1625	Check that, if one of the component objects (AIRARE) of an airfield is encoded using a collection object, that only C_ASSO is used.		W
1626			
1627			
1628			
1629			
1630			
1631			
1632			

1633			
1634			
1635			
1636			
1637	Check that any PYLONS object of type Area with a WATLEV attribute value of 1 [partly submerged at high water] or 2 [always dry] is covered by a LNDARE object of type Area.	IENC EG G.1.10	E
1638	Check that any picture files that form part of the ENC are according IENC format description.	IENC EG B.B IENC PS 5.6.4	E
1639			
1640			
1641	Check that no UWTRC or uwtrc object shares the same spatial position as a SOUNDG object.	IENC EG J.1.1	E
1642	Check that no DEPARE or depare object contains the attributes VERDAT or verdat.	IENC EG I.1.1, I.1.2	E
i1513	Check that all depare objects have a value for DRVAL1, DRVAL2, hunits and wtwdis attributes.	EG I 1.2	E
1643	Check that where depth contours merge, a DEPARE (type Line) object is created, and that the value for VALDCO on the DEPCNT object is equal to the value for DRVAL1 on the DEPARE object.	5.4.1 and 5.4.3	W
1644			
1645	Check that the overall succession of DRVAL1 and DRVAL2 in the whole maritime area is continuous.	5.4.3	W
1646			
1647			
1648			
1649			
1650	.		
1651			
1652			
1653			
1654			
1655			
1656			
1657	Check for any UWTRC object that the combination of attribute values corresponds to the following table.	6.1.2	W
	VALSOU	WATLEV	
	unknown	3, 4 or 5	
	< 0	unknown	
	< 0	4	
	0	5	
	> 0	3	
i1514	Check for any uwtrc object that the combination of attribute values corresponds to the following table.		
	VALSOU	watlev	
	Unknown	1,2,3,4,8,9, unknown	

	< 0 0 > 0	4,8 5,8,9 3,8,9	
1658			
1659			
1660			
1661			
1662	Check that any area WRECKS or area OBSTRN object is covered by a DEPARE, LNDARE or depare object of type Area.	IENC EG J.2.1	E
i1515	Check that no area hrbsbn object is covered by a LNDARE object of type Area.	IENC EG G.3.10	E
i1516	Check that any area lkbspt object is covered by a DEPARE or depare object of type Area.	IENC EG G.4.4	E
i1517	Check that any lkbspt objects have a value for the attributes horccl, horclw and SCAMIN.	IENC EG G.4.4	E
i1518	Check that all excnst objects has a value for the DRVAL1, catexs, wtwdis, hunits and SCAMIN attributes.	IENC EG G.4.8	E
i1519	Check that any current object has a value for SCAMIN attribute.	IENC EG H.1.1	E
i1520	Check that any sistaw object has a value for catsiw and SCAMIN attributes.	IENC EG I.3.1	E
i1521	Check that any wtwgag object has a value for SCAMIN attribute.	IENC EG I.3.4	E
i1522	Check that any wtwprf object has a value for wtwdis, hunits and SCAMIN attributes.	IENC EG I.3.5	E
i1523	Check that there are no wtwprf objects, that have an attribute value for verdat equal to that given in the Vertical Datum subfield (VDAT) of the Data Set Parameter field (DSPM) or in the verdat attribute of the Meta object m_vdat.	IENC EG I.3.5	E
i1524	Check that no object wtwprf has an attribute value for HEIGHT without an attribute value for revlev.	IENC EG I.3.5	E
i1525	Check that any notmrk object has a value for catnmk, fnctnm and SCAMIN attributes,	IENC EG K.1.1/ O.3.1	E
i1526	Check that any wtwaxs object has a value for OBJNAM and SCAMIN attributes.	IENC EG L.1.4	E
i1527	Check that any feryrt object has a value for catfry and SCAMIN attributes.	IENC EG L.2.3	E
i1528	Check that any wtware object has a value for catccl, dirimp and SCAMIN attributes.	IENC EG L.3.1	E
i1529	Check that any dismrk object has a value for CATDIS, wtwdis, hunits and SCAMIN attributes.	IENC EG L.3.2	E
i1530	Check that any achare object has a value for SCAMIN attribute.	IENC EG M.1.1	E
i1531	Check that any achbrt object has a value for SCAMIN attribute.	IENC EG M.1.2	E
i1532	Check that any berths object has a value for SCAMIN attribute.	IENC EG M.1.3	E
i1533	Check that any resare object has a value for restrn and SCAMIN attributes.	IENC EG M.2.1	E
i1534	Check that any comare object has a value for COMCHA and SCAMIN attributes.	IENC EG M.4.1	E
i1535	Check that any trnbsn object has a value for SCAMIN	IENC EG M.4.5	E

	attribute.		
i1536	Check that any boylat object has a value for BOYSHP, catlam, COLOUR and SCAMIN attributes.	IENC EG O.1.2	E
i1537	Check that there are no boylat objects, that have an attribute value for marsys equal to that given in the marsys attribute of the Meta object m_nsys.	IENC EG O.1.2	E
i1538	Check that any bcnlst object has a value for BCNSHP, catlam, COLOUR and SCAMIN attributes.	IENC EG O.2.1	E
i1539	Check, if any bcnlst object shares the same geo-spatial position and geometry as a DAYMAR, that the DAYMAR object is encoded as the slave object.	IENC EG O.2.1	E
i1540	Check that any rdocal object has a value for TRAFIC, ORIENT, COMCHA and SCAMIN attributes.	IENC EG Q.2.1	E
i1541	Check that any chkpnt object has a value for catchp, NATION and SCAMIN attributes.	IENC EG R.1.1	E
i1542	Check that any sistat object has a value for catsit and SCAMIN attributes.	IENC EG R.2.1	E
i1543	Check that any hrbfac object has a value for cathaf and SCAMIN attributes.	IENC EG S.1.1	E
i1544	Check that any tisdge object has a value for cattab, schref, shptyp, useshp and SCAMIN attributes.	IENC EG T.1.1	E
i1545	Check that any tisdge object is associated (using the collection object C_ASSO with the other objects of the facility).	IENC EG T.1.1	W
i1546	Check that any lg_sdm object has a value for lg_rel, lg_bme, lg_lgs, lg_drt, lg_wdp, lg_wdu, lg_csi, lg_cse, lg_asi, lg_ase, lg_cci, lg_cce attributes.	IENC EG U.1.1	E
i1547	Check that any lg_vsp object has a value for lg_rel, lg_spd, lg_spr, lg_csi, lg_cse, lg_asi, lg_ase, lg_cci, lg_cce attributes.	IENC EG U.1.2	E



1663	Check for any WRECKS object that the combination of attribute values corresponds to the following table.			IENC EG J.2.1	W		
	"undefined" means that no value is encoded.						
	"any value" means,						
	- for mandatory attribute: any predefined value or unknown value,						
	- for optional attribute: any predefined value or undefined.						
	Other attributes which do not appear in the table may be encoded.						
	VALSOU	WATLEV	CAT WRK				
	Undefined	3 or unknown	1, 2, 3 or unknown				
		4 or 5	Any value				
		1 or 2	4 or 5 or unknown				
	unknown	3 or unknown	1, 2, 3 or not encoded				
		4 or 5	Any value				
		1 or 2	4 or 5 or not encoded				
	<0	4	Any value				
		4	Any value				
0	5	Any value					
> 0	3	1, 2, 3 or undefined					
	3	1, 2, 3 or undefined					

i1548	Check that WRECKS object has attribute CATWRK and attribute SCAMIN with value (22000(EU)) or (45000(US)).	IENC EG J.2.1	E																																
i1549	Check that any WRECKS object with WATLEV = 3 [always under water/submerged] has attribute VALSOU.	IENC EG J.2.1	E																																
1664																																			
1665																																			
1666																																			
1667																																			
1668																																			
1669	Check for any OBSTRN object that the combination of attribute values corresponds to the following table.  Other attributes which do not appear in the table may be encoded.	IENC EG J.3.1	W																																
	<table border="1"> <tr> <td>VALSOU</td> <td>WATLEV</td> <td></td> <td></td> </tr> <tr> <td rowspan="3">unknown</td> <td>3, 4, 5 or unknown</td> <td></td> <td></td> </tr> <tr> <td>1 or 2</td> <td></td> <td></td> </tr> <tr> <td>7</td> <td></td> <td></td> </tr> <tr> <td rowspan="2">VALSOU &lt; 0</td> <td>4</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> </tr> <tr> <td>VALSOU = 0</td> <td>5</td> <td></td> <td></td> </tr> <tr> <td rowspan="2">VALSOU &gt; 0</td> <td>3</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> </tr> </table>	VALSOU	WATLEV			unknown	3, 4, 5 or unknown			1 or 2			7			VALSOU < 0	4			4			VALSOU = 0	5			VALSOU > 0	3			3				
VALSOU	WATLEV																																		
unknown	3, 4, 5 or unknown																																		
	1 or 2																																		
	7																																		
VALSOU < 0	4																																		
	4																																		
VALSOU = 0	5																																		
VALSOU > 0	3																																		
	3																																		
1670	Check where a WRECKS or OBSTRN area includes other WRECKS or OBSTRN point objects, that the encoded values of the attributes QUASOU, SOUACC, TECSOU, VALSOU and WATLEV for the area object are identical to the values for the shallowest point object.	IENC EG J.3.1	W																																
1671	Check for any line object whose geometry is coincident with the geometry of an area object of the same class and attribute values except for attributes SORIND, SORDAT and SCAMIN.	Logical consistency	E																																
1672	Check for the occurrence of any point object lying inside an area object of the same class and attribute values, except for LNDARE, WRECKS and OBSTRN objects.	Logical consistency	E																																
1673																																			
1674																																			
1675																																			
1676	Check that any RESARE object having a value of (24) for the attribute CATREA also has a value of (13) for the attribute RESTRN.	9.1.2	W																																
1677																																			
1678																																			
1679	Check for any object that attributes of type enumerated ('E'), float ('F'), integer ('I') or code string ('A') contain only one value.		E																																
1680	Check that no RECTRC object contains a value of (3) for the attribute STATUS.	10.1.1	W																																
1681	Check for any one way RECTRC object of type Line with a value for ORIENT encoded, that the direction of digitizing is consistent (i.e. deviation less than 5 degrees)	IENC EG L.1.2	E																																



	with the direction of the traffic flow (as encoded in ORIENT).		
1682			
1683			
1684			
1685			
1686			
1687			
1688			
1689			
1690			
1691			
1692			
1693			

1694			
1695			
1696			
1697			
1698			
1699			
1700			
1701			
1702			
1703	Check for any CBLSUB object, if the attribute CATCBL is encoded, that the value is (1) [power line], (3) [transmission line] (4) [telephone], (5) [telegraph] or (6) [mooring cable/chain].	IENC EG K.1.1	E
1704	Check that any cblohd object has attribute VERCLR with meaningful value, attribute catchbl with value (1) [power line], (3) [transmission line], (4) [telephone], (5) [telegraph], (6) [mooring cable/chain] or (7) [ferry cable].	IENC EG G.1.8	E
1705	<del>Check that no CBLOHD object contains an attribute value for VERACC, without an attribute value for at least one of VERCLR or VERCSA.</del>	11.5.2	<del>E</del>
1706			
1707	Check that any CBLARE object has the attribute CATCBL with value (1) [power line], (3) [transmission line], (4) [telephone], (5) [telegraph] or 6 [mooring cable/chain] and attribute RESTRN with value (1).	IENC EG K.1.2	E
1708			
1709			
1710	<del>Check that no PIPOHD object has an attribute value for VERACC without an attribute value for VERCLR.</del>	11.6.3	<del>E</del>
1711	<del>Check that no PIPOHD object has an attribute value for VERDAT without an attribute value for VERCLR.</del>	11.6.3	<del>E</del>
1712			
1713			
1714	Check that any OBSTRN object that has a value of (2) for the attribute CATOBS also has a value of (4) for the attribute STATUS.	11.7.1 and 6.2.2	W
1715			
1716			
1717			
1718			

1719			
1720			
1721			
1722	<p>Check that any navigational aid equipment object is a slave to a navigational aid structure object or another navigational aid equipment object.</p> <p>When two objects (including one DAYMAR) contained in the list of structure objects are part of the navigational aid, then the DAYMAR object must be considered as an equipment object.</p> <p>NOTE: CRANES, FLODOC, HULKES, hulkes, PONTON, pontoon, OBSTRN, PYLONS, SILTNK and WRECKS objects must be considered as possible structure objects, in addition to the list given in Annex A (12.1.1) of S-57.</p> <p>Only one object can be coded as master in a master/slave relation.</p>	IENC EG N.1, O.1, O.2, O.4, P.1, Q.1	W
1723	<p>Check that all point objects comprising a navigational aid are pointing to the same point spatial object.</p>	IENC EG N.1, O.1, O.2, O.4, P.1, Q.1	E
1724	<p>Check that no navigational aid equipment object contains a value for OBJNAM equivalent to the OBJNAM value of the master object.</p>	IENC EG O.1, O.2, O.4, P.1	W
1725			
1726	<p>Check that the entire area of the data set is covered by one or more m_nsys objects, with a value for the attribute marsys indicating the buoyage system in operation.</p>	IENC EG C.1.3	E
1727	<p>Check that no m_nsys object overlaps any other m_nsys object .</p>	IENC EG C.1.3	E
1728			
1729	<p>Check for any geo object forming part of a navigational aid (buoy or beacon), that the combination of characteristics for structure, topmark and lights conforms to CEVNI, Russian inland waterway regulatios or the IALA system being used (given in marsys or MARSYS of the geo object or, if not encoded, in marsys of the meta-object m_nsys).</p> <p>This check must not be applied to objects having a value of (9) [no system] or (10) [other system] for the attribute MARSYS, and to slave objects if the master object has a value of (9) [no system] or (10) [other system] for the attribute MARSYS.</p> <p>Optional attributes may be either encoded or undefined. Mandatory attributes must be encoded with explicit values (i.e. not "unknown").</p>	IENC EG C.1.3	W
1730			

1731			
1732			
1733			
1734			
1735			
1736			
1737			
1738			
1739			
1740			
1741			
1742			
1743	Check that no Buoy object contains a value for the attribute marsys that is identical to the value for marsys within the object m_nsys that covers the Buoy object.	IENC EG O.1	E
1744			
1745			
1746			
1747			
1748			
1749			
1750			
1751	Check that no LIGHTS object has a value for ORIENT without a value of (1) [directional function] for CATLIT.	IENC EG N.1	E
1752	Check that no LIGHTS object with a value of (1) [fixed] for LITCHR contains the attributes SIGGRP, SIGPER and SIGSEQ.	IENC EG N.1	E
1753	<del>Check that no LIGHTS object has an attribute value for VERDAT without an attribute value for HEIGHT.</del>	<del>12.8.1</del>	<del>E</del>
1754			
1755			
1756	Check that no LIGHTS object having a value of (4) [leading light] for the attribute CATLIT has a value for ORIENT, unless CATLIT also contains a value of (1) [directional function].	IENC EG N.1	E
1757			
1758			
1759			
1760			
1761			
1762			
1763	Check that the Relationship Indicator [RIND] subfield of the Feature Record to Feature object Pointer [FFPT] field for any C_ASSO or C_AGGR object is set to (3) [peer].	15 and Appendix B.1 (3.9)	E
1764	Check that no permanent object with a value of (1) [permanent] for the attribute STATUS has PERSTA and/or PEREND encoded.	logical consistency	E
1765			
1766	Check for any attribute PICREP, TXTDSC and NTXTDS that the attribute value only contains one file name.	IENC EG B	E
1767			
1768		5.3	W
1769			
1770			



	attribute FUNCTN.		
1782			
1783	Check that no object of type Area with: <ul style="list-style-type: none"> <li>- WATLEV = 4 [covers and uncovers] overlaps a DEPARE or depare object with DRVAL1 &gt;= 0.</li> <li>- WATLEV = 5 [awash] overlaps a DEPARE or depare object with DRVAL1 &gt; 0.</li> </ul>	logical consistency	W
1784	Check for any spatial object that no attribute HORDAT, POSACC, or QUAPOS is populated with a missing value (unknown).	logical consistency	W
1785			
1786	Check that any objects of type Area with WATLEV = 2 [always dry] are covered by LNDARE objects of type Area.	logical consistency	W
1787	Check for any objects NAVLNE and RECTRC sharing an edge that they have the same or reciprocal attribute value for ORIENT.	logical consistency	W
1788	Check that when one object NAVLNE and one object RECTRC share an edge, they belong to the same C_AGGR object.	Logical consistency	W
1789	Check for any object NAVLNE and RECTRC of type Line with a value for ORIENT encoded, that the orientation of the spatial geometry is consistent (i.e. deviation less than 5 degrees) with the attribute value (or the reciprocal value) encoded in ORIENT.	Logical consistency	W
1790	Check for any LIGHTS having ORIENT encoded with an explicit value, that: <ul style="list-style-type: none"> <li>• SECTR1 and SECTR2 are not populated, or</li> <li>• it is not aggregated to a RECTRC or a NAVLNE in a collection object C_AGGR, or</li> <li>• the structure object which is the master of this LIGHTS in a master/slave relationship is not aggregated to a RECTRC or a NAVLNE in a collection object C_AGGR.</li> </ul>	Logical consistency	W
1791	Check for any NAVLNE having CATNAV = 3 [leading line bearing a recommended track] that a RECTRC with CATTRK = 1 [based on a system of fixed marks] shares a part of the line geometry used for the NAVLNE, and vice versa.	Logical consistency	W
1792	Check that no cell crosses the 180° meridian.	Encoding Bulletin EB18	W
1793			
1794	Check for any LIGHTS object having CATLIT = 1 [directional function] and which is a slave in a master/slave relationship, that the master object is not a BOYCAR, BOYLAT, BOYSAW or BOYSPP.	Logical consistency	W
1795	Check for any master object in a master/slave relationship containing temporal attribution (DATEND, DATSTA, PEREND, PERSTA) that its slave objects also contain the same temporal attributes.	Logical consistency	W
1796			
1797	Check that none of the following feature object and geometric primitive combinations, which do not display in inland ECDIS, are present in the		

	<p>dataset:</p> <ul style="list-style-type: none"> <li>- bridge of type point;</li> <li>- DAMCON of type point;</li> <li>- PIPSOL of type point;</li> <li>- ROADWY of type point;</li> <li>- TUNNEL of type point.</li> </ul>		
i1550	For any DEPARE with QUASOU=2 (depth unknown). Check that DRVAL1=UNKNOWN if the DEPARE is bounded by a COALNE, whose edges have attribute QUAPOS=4	IENC EG I.1.9	W
i1551	For any DEPARE with QUASOU=2 (depth unknown). Check that DRVAL1=0 if the DEPARE is bounded by a COALNE, whose edges have attribute QUAPOS not equal 4	IENC EG I.1.9	W
i1552	For any DEPARE with QUASOU=8 (reported), Check that at least one of DRVAL1 or DRVAL2 are encoded.	Logical consistency	E
i1553	Check that any <b>current</b> feature has populated at least one of the velocity attributes: <b>curvhw</b> , <b>curvlw</b> , <b>curvmw</b> , <b>curvow</b>	Logical consistency	W
i1554	Check that any <b>current</b> feature with geometric primitive = Area has a value for attribute direction of impact ( <b>dirimp</b> )	IENC EG H.1.1	W
i1555	Check that any <b>current</b> feature with geometric primitive = Point has a value for attribute ORIENT	IENC EG H.1.1	W
i1556	Check that if feature <b>current</b> has water level name attribute entered then the corresponding velocity attribute must also be encoded: <b>hignam</b> must have <b>curvhw</b> <b>lownam</b> must have <b>curvlw</b> <b>meanam</b> must have <b>curvmw</b> <b>othnam</b> must have <b>curvow</b>	IENC EG H.1.1	E

## 2.5 Checks relating to allowable attribute values for particular object classes

2000	Check for any object that attributes of type "L" (list) and "E" (enumerated) only contain allowable values listed in the following table for the given object class.  x-y-z allowable values (alone or in a list) * all the pre-defined attribute values as listed in the IENC Feature Catalogue are allowed. # the attribute is mandatory, and the missing value (Unknown) is allowed. (#) the attribute is mandatory, but the missing value (Unknown) is prohibited (no logical sense).	logical consistency	W
------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------	---

Attribute	Object Class	code	Allowable attribute values
-----------	--------------	------	----------------------------

BCNSHP		2	(1,5)
	<b>BCNLAT</b>	7	* #
	<b>bcnlat</b>	17028	* #


BOYSHP		4	(1,2,3,4, 5,6,8)
	<b>BOYCAR</b>	14	* #
	<b>BOYLAT</b>	17	* #
	<b>BOYSAW</b>	18	* #
	<b>BOYSPP</b>	19	* #
	<b>boylat</b>	17029	* #

CATAIR		7	(1,2,6)
	<b>AIRARE</b>	2	*

catach		17000	(1,2,3,4,5,6,7,9,10,11)
	<b>achbrt</b>	17000	*
	<b>achare</b>	17001	*

CATBRG		9	(1,3,4,5,12)
	<b>bridge</b>	17011	* #

CATBUA		10	(1,2,3,4,5)
	<b>BUAARE</b>	13	*

CATCBL		11	(1,3,4,5,6)
	<b>CBLARE</b>	20	* #
	<b>CBLSUB</b>	22	* #

catchbl		17101	(1,3,4,5,6,7)
	<b>cblohd</b>	17012	* #
CATCAM		13	(1,2,3,4)
	<b>BOYCAR</b>	14	* #
catchp		17010	(1,2)
	<b>chkpnt</b>	17027	* #
CATCON		17	(2)
	<b>CONVYR</b>	34	* #
	<b>convyr</b>	17034	* #
CATCOV		18	(1,2)
	<b>M_COVR</b>	302	* (#)
CATCRN		19	(2)
	<b>CRANES</b>	35	* #
	<b>cranes</b>	17030	* #
CATDAM		20	(1,2)
	<b>DAMCON</b>	38	* #
CATDIS		21	(1,2,3,4)
	<b>dismar</b>	17004	* #
CATFNC		24	(1,4)
	<b>FNCLNE</b>	52	* #
CATFRY		25	(1,2)
	<b>FERYRT</b>	53	* #
catfry		17007	(4)
	<b>feryrt</b>	17013	* #



CATFOG		27	(1,2,3,4,5,6,7,8,9,10)
	<b>FOGSIG</b>	58	* #


CATGAT		29	(4)
	<b>GATCON</b>	61	* #
	<b>gatcon</b>	17031	* #

CATHAF		30	(5)
	<b>HRBFAC</b>	64	* #

cathaf		17008	(1,3,4,6,7,8,9,10,11,12,13,16,17)
	<b>hrbfac</b>	17015	4,6,9,12,13,16,17 #
	<b>termnl</b>	17064	1,3,7,8,10,11 #

CATHLK		31	(1,2,3,4,5)
	<b>HULKES</b>	65	* #

cathlk		17102	(1,2,3,4,5,6)
	<b>hulkes</b>	17020	*




CATLMK		35	(1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22)
	<b>LNDMRK</b>	74	* #

CATLAM		36	(1,2,3,4)
	<b>BCNLAT</b>	7	* #
	<b>BOYLAT</b>	17	* #

catlam		17011	(1 – 23)
	<b>bcnlat</b>	17028	* #
	<b>boylat</b>	17029	* #

CATLIT		37	(1,4,12,13,14,15)
	<b>LIGHTS</b>	75	* #



CATMOR		40	(1,5,7)
--------	--	----	---------

	<b>MORFAC</b>	84	* #
CATNAV		41	(1,2,3)
	<b>NAVLNE</b>	85	*
CATOBS		42	(1,2,3,4,5,6,7,8,9,10)
	<b>OBSTRN</b>	86	*
CATOLB		44	(1,2)
	<b>OILBAR</b>	89	*
CATPIP		47	(2,3,4,6)
	<b>PIPARE</b>	92	* #
	<b>pipohd</b>	17024	* #
	<b>PIPSOL</b>	94	* #
CATPRA		48	
	<b>PRDARE</b>	97	*
CATPYL		49	(1,2,3,4,5)
	<b>PYLONS</b>	98	* #
CATRAS		51	(1)
	<b>RADSTA</b>	102	* #
CATRTB		52	(1,2,3)
	<b>RTPBCN</b>	103	* #
CATTRK		54	(1,2)
	<b>RECTRC</b>	109	* #
CATREA		56	(4,5,9,12,19,22,23,25,26)
	<b>RESARE</b>	112	12
	<b>resare</b>	17005	*

CATROD		57	(1,2,3,4)
	<b>ROADWY</b>	116	* #


CATSEA		59	(51,53)
	<b>SEAARE</b>	119	*

CATS LC		60	(1,2,4,5,6,7,8,9,10,11,12,13,14,15,16)
	<b>SLCONS</b>	122	* #

catslc		17012	(7,18)
	<b>slcons</b>	17032	* #

catsit		17002	(2,6,8,10)
	<b>sistat</b>	17007	* #

catsiw		17003	(15,16,18)
	<b>sistaw</b>	17008	* #

CATSIL		63	(1,2,3,4)
	<b>SILT NK</b>	125	*

CATSLO		64	(2,3,6)
	<b>SLO TOP</b>	126	2,3 #
	<b>SLO GRD</b>	127	* #

CATSCF		65	(1 – 33)
	<b>SMCFAC</b>	128	* #

CATSPM		66	(6,10,12,37,39,41,45,50,54,55)
	<b>BOYSPP</b>	19	* #



CATVEG		68	(6,13)
	<b>VEGATN</b>	155	* #



CATWRK		71	(1,2,3,4,5)
	<b>WRECKS</b>	159	* #

CATZOC		72	(1,2,3,4,5,6)
	<b>M_QUAL</b>	308	*

COLOUR		75	(1,2,3,4,5,6,7,8,9,10,11,12,13)
	<b>BCNLAT</b>	7	* #
	<b>BOYCAR</b>	14	* #
	<b>BOYLAT</b>	17	* #
	<b>BOYSAW</b>	18	* #
	<b>BOYSPP</b>	19	* #
	<b>DAYMAR</b>	39	* #
	<b>LIGHTS</b>	75	* #
	<b>TOPMAR</b>	144	* #
	<b>bcnlat</b>	17028	* #
	<b>boylat</b>	17029	* #

COLPAT		76	(1,2,3,4,5,6)
	<b>BCNLAT</b>	7	*











	<b>DAMCON</b>	38	*
	<b>MORFAC</b>	84	*
	<b>SLCONS</b>	122	*
	<b>ROADWY</b>	116	4,5
	<b>slcons</b>	17032	*

<b>NATSUR</b>		113	(9)
	<b>OBSTRN</b>	86	*


<b>PRODCT</b>		123	(1,2,3,4,5,6,7,8,14,15,17,21,22)
	<b>CONVYR</b>	34	*
	<b>PIPARE</b>	92	* #
	<b>PIPSOL</b>	94	* #
	<b>PRDARE</b>	97	*
	<b>SILTNK</b>	125	*
	<b>convyr</b>	17034	*
	<b>pipohd</b>	17024	* #

<b>QUASOU</b>		125	(1,2,8,10,11)
---------------	--	-----	---------------









	<b>GATCON</b>	61	*

verdat		17005	(12,31,32,33,34,35,36,37,38,39,40,41)
	<b>berths</b>	17010	*
	<b>bridge</b>	17011	*
	<b>cblohd</b>	17012	*
	<b>convyr</b>	17034	*
	<b>cranes</b>	17030	*
	<b>excnst</b>	17070	* #
	<b>flodoc</b>	17025	*
	<b>gatcon</b>	17031	*
	<b>pipohd</b>	17024	*
	<b>m_sdat</b>	17022	* #
	<b>vehtrf</b>	17069	*
	<b>m_vdat</b>	17023	* #
	<b>wtwgag</b>	17067	*
	<b>wtwprf</b>	17052	*

WATLEV		187	(1,2,3,4,5)
	<b>MORFAC</b>	84	*
	<b>OBSTRN</b>	86	*
	<b>PYLONS</b>	98	* #
	<b>SLCONS</b>	122	*
	<b>UWTROC</b>	153	* #
	<b>WRECKS</b>	159	*


QUAPOS		402	(4,10)
	<b>M_SREL</b>	310	*

addmrk		17050	(1,2,3,4,5)
	<b>notmrk</b>	17050	*

lc_ase		18015	(1,2,3,5,6,7,8,9,10)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*

lc_asi		18014	(1,2,3,5,6,7,8,9,10)
	<b>lg_sdm</b>	18001	*

	<b>lg_vsp</b>	18002	*
bunves		17065	(1,2)
	<b>bunsta</b>	17054	* #
catach		17000	(1,2,3,4,5,6,7,9,10,11)
	<b>achbrt</b>	17000	*
	<b>achare</b>	17001	*
catbrt		17066	(1,2,3,4,5,6,7,8)
	<b>berths</b>	17010	*
catbun		17067	(1,2,3)
	<b>bunsta</b>	17054	*
lc_cce		18017	(1,2,4,5,6,7,8,9)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
lc_cci		18016	(1,2,4,5,6,7,8,9)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
catccl		17068	(1,2,3,4,5,6,7,8,9,10,11)
	<b>wtware</b>	17066	* #
	<b>wtwaxs</b>	17051	*
catcom		17069	(1,2,3,4,5,6,7,8)
	<b>comare</b>	17055	*
	<b>rdocal</b>	17017	*
catexs		17100	(1,2,3,4,5)
	<b>excnst</b>	17070	* #
cathbr		17070	(1,2,3,4,5)
	<b>hrbare</b>	17014	*
catnmk		17052	(1 – 102)
	<b>notmrk</b>	17050	* #
catrfd		17071	(1,2,3,4)
	<b>refdmp</b>	17062	*
lc_cse		18013	(1,2,3,5 – 32)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
lc_csi		18012	(1,2,3,5 – 32)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
cattab		17092	(1,2)
	<b>tisdge</b>	17068	* #

catvtr		17091	(1,2,3,4,5,6)
	<b>vehtrf</b>	17069	* #
catgag		17078	(1,2,3,4,5)
	<b>wtwgag</b>	17067	*
clsdng		17055	(1,2,3,4)
	<b>achbrt</b>	17000	*
	<b>achare</b>	17001	*
	<b>berths</b>	17010	*
dirimp		17056	(1,2,3,4)
	<b>bcnlat</b>	17028	*
	<b>curent</b>	17019	*
	<b>notmrk</b>	17050	*
	<b>sistat</b>	17007	*
	<b>tisdge</b>	17068	*
	<b>wtware</b>	17066	* #
fnctnm		17063	(1,2,3,4,5)
	<b>notmrk</b>	17050	* #
hunits		17103	(1,2,3,4,5,6)
	<b>bridge</b>	17011	*
	<b>cblohd</b>	17012	*
	<b>depare</b>	17003	*
	<b>dismar</b>	17004	* #
	<b>excnst</b>	17070	*
	<b>gatcon</b>	17031	*
	<b>pipohd</b>	17024	*
	<b>wtwgag</b>	17067	*
	<b>wtwprf</b>	17052	*
lg_rel		18008	(1,2,3,4)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
reflev		17088	(1,2,3,4,5,6,7,8,9)
	<b>wtwgag</b>	17067	*
	<b>wtwprf</b>	17052	*
shptyp		33066	(1 – 15)
	<b>tisdge</b>	17068	* #
lg_spr		18002	(1,2,3)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
trshgd		17076	(1,2,3,4,5,6,7,8,9,10)
	<b>berths</b>	17010	*
	<b>termnl</b>	17064	*
useshp		17094	(1,2,3)
	<b>tisdge</b>	17068	* #



---

lg_wdu		18007	(1,2,3)
	<b>lg_sdm</b>	18001	*
	<b>lg_vsp</b>	18002	*
watlev		17104	(1,2,3,4,8,9)
	<b>slcons</b>	17032	*
	<b>uwtroc</b>	17033	* #